

SAFETY DATA SHEET PG17 PREPARATION

according to Regulation (EC) No. 1907/2006

SolidFlow **PG17 Chrome Oxide Green** - Product code **SF 610-X**

Date of Revision: October 10th 2024 Revision N:1 Country / Language: ITA / EN

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name:	PG-17preparation
Product code:	SF 610-X
CAS number:	1308-38-9
INDEX number:	CI Pigment Green 17
EEC (EINECS) number:	215-160-9
Structural Formula:	chromium (III) oxide

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture:	Synthetic pigment mixed with anionic and non-ionic surfactants.
-------------------------------	---

1.3. Details of the supplier of the safety data sheet

Company:	SIOF S.p.A. Via Garibaldi 62 15068 - Pozzolo Formigaro (AL) Italy Tel: +39 0143417781 VAT nr.: IT 0016470069 Production sites: 1) Pozzolo Formigaro (AL) - Via Garibaldi 62 2) Verona - Via Pisano 53/A
----------	--

Email address of the competent person:

siof@siof.it

1.4. Emergency telephone number

Emergency telephone number:	+39 0143417781
-----------------------------	----------------

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008):

Not a hazardous substance or mixture.

2.2. Label elements

Labelling (REGULATION (EC) No 1272/2008):

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

Additional Labelling:

Safety data sheet available on request.

2.3. Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SolidFlow **PG17 Chrome Oxide Green**

Product code **SF 610-X**

Date of Revision: October 10th 2024

Revision N:1

Country / Language: ITA / EN

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.1 Substances

Components:

Remarks: No hazardous ingredients.

Components:

Name: Chrome Oxide Green

EEC (EINECS) number: 215-160-9

CAS number: 1308-38-9

Other components:

Name: Anionic and non-ionic additives.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice:

Consult a physician.
Do not leave the victim unattended.
Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.

Protection of first-aiders:

No action shall be taken involving any personal risk or without suitable training.

If inhaled:

Remove victim to fresh air and keep at rest in a position comfortable for breathing.
If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel.
If unconscious, place in recovery position and get medical attention immediately.
Maintain open airway.
Loosen tight clothing such as a collar, tie, belt or waistband.
If symptoms persist, call a physician.

In case of skin contact:

Wash off with soap and water.
Get medical attention if symptoms occur.

SolidFlow PG17 Chrome Oxide Green

Product code **SF 610-X**

Date of Revision: October 10th 2024

Revision N: 1

Country / Language: ITA / EN

In case of eye contact: Immediately flush eye(s) with plenty of water.
Remove contact lenses.
Get medical attention if symptoms appear.

If swallowed: Rinse mouth with water.
Do NOT induce vomiting.
Call a physician immediately.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: See Section 11 for more detailed information on health effects and symptoms.

Risks: See Section 11 for more detailed information on health effects and symptoms

4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media: In case of fire, use water spray (fog), foam, dry chemical or CO₂.

Unsuitable extinguishing media: None known.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting: Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products: Metal oxides.

5.3 Advice for firefighters

Special protective equipment for firefighters:

Fire-fighters should wear appropriate protective equipment and self contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Further information:

Standard procedure for chemical fires.

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire.

No action shall be taken involving any personal risk or without suitable training. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions: No action shall be taken involving any personal risk or without suitable training.

Keep unnecessary and unprotected personnel from entering.

Do not touch or walk through spilt material.

Avoid breathing dust.

SolidFlow **PG17 Chrome Oxide Green**

Product code **SF 610-X**

Date of Revision: October 10th 2024

Revision N: 1

Country / Language: ITA / EN

Provide adequate ventilation.
Avoid dust formation.
In case of inadequate ventilation wear respiratory protection.
Use personal protective equipment.

6.2 Environmental precautions

Environmental precautions:

Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.
If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up:

Pick up and arrange disposal without creating dust.
Sweep up and shovel.
Keep in suitable, closed containers for disposal.
Move containers from spill area.
Stop leak if safe to do so.
Dispose of wastes in an approved waste disposal facility.

6.4 Reference to other sections

For personal protection see section 8. For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling:

For personal protection see section 8.
Avoid contact with skin and eyes.
Provide sufficient air exchange and/or exhaust in work rooms.
In case of insufficient ventilation, wear suitable respiratory equipment.
Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use.
Dispose of rinse water in accordance with local and national regulations.

Advice on protection against fire and explosion:

Provide appropriate exhaust ventilation at places where dust is formed.

Hygiene measures:

General industrial hygiene practice.

When using do not eat, drink or smoke. Wash face, hands and any exposed skin thoroughly after handling. Wash contaminated clothing before reusing. Remove contaminated clothing and protective equipment before entering eating areas.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers:

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep containers tightly closed in a dry, cool and well-ventilated place. Containers that have

SolidFlow PG17 Chrome Oxide Green

Product code **SF 610-X**

Date of Revision: October 10th 2024

Revision N: 1

Country / Language: ITA / EN

been opened must be carefully resealed and kept upright to prevent leakage. Electrical installations / working materials must comply with the technological safety standards.

Advice on common storage:

No materials to be especially mentioned.

Storage class (TRGS 510):

13, Non Combustible Solids.

Further information on stor-age stability:

Keep in a dry place.

No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s):

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits:

Dust:

10 mg/m³

Peak-limit: excursion factor (category): 2; II

Value type (Form of exposure): AGW (Inhalable fraction).

Basis: DE TRGS 900

Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child.

1,25 mg/m³

Peak-limit: excursion factor (category): 2; II

Value type (Form of exposure): AGW (Alveolate fraction)

Basis: DE TRGS 900.

Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child.

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
chromium (III) oxide	1308-38-9	AGW (Inhalable fraction)	2 mg/m ³ (chromium)	DE TRGS 900
		Peak-limit: excursion factor (category): 1; I		
		TWA	2 mg/m ³ (chromium)	2006/15/EC
		Further information: Indicative		

8.2 Exposure controls

Engineering measures:

Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Personal protective equipment

Eye/face protection:

Safety glasses with side-shields conforming to EN166

Hand protection

Material:

Leather gloves

Wearing time:

< 60 min

SolidFlow **PG17 Chrome Oxide Green**

Product code **SF 610-X**

Date of Revision: October 10th 2024

Revision N:1

Country / Language: ITA / EN

Remarks:	The suitability for a specific workplace should be discussed with the producers of the protective gloves. After contamination with product change the gloves immediately and dispose of them according to relevant national and local regulations.
Skin and body protection:	Impervious clothing Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place. Additional body garments should be used (e.g. sleevelets, apron, disposable suit etc.), based on the task being performed.
Respiratory protection:	Dust-protection mask if there is a risk of dust formation.
Filter type:	P1 filter
Environmental exposure controls	
Water:	The product should not be allowed to enter drains, water courses or the soil.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance:	Granules
Physical state:	Solid
Colour:	Green
Odour:	Characteristic
Solubility:	Insoluble in water. It disperses.
Density:	5,22 kg/l (pigment)
Bulk density:	0.8 - 1.6 kg/l
Decomposition temperature:	Not available
Flammability:	Not applicable

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No specific test data related to reactivity available for this product or its ingredients.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions: No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Conditions to avoid: No specific data.

10.5 Incompatible materials

Materials to avoid: No specific data.

10.6 Hazardous decomposition products

Hazardous decomposition products: No decomposition if stored and applied as directed.

SolidFlow **PG17 Chrome Oxide Green**

Product code **SF 610-X**

Date of Revision: October 10th 2024

Revision N: 1

Country / Language: ITA / EN

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure: Inhalation

Eye contact

Skin contact

Acute toxicity

Not classified due to lack of data.

Components:

chromium (III) oxide:

Acute oral toxicity:

LD50 (Rat, male and female): > 5,000 mg/kg

Method: OECD Test Guideline 401

GLP: Yes.

Acute inhalation toxicity:

LC50 (Rat, male and female): > 5,41 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

GLP: Yes

Assessment: The substance or mixture has no acute inhalation toxicity

Remarks: Dosage caused no mortality

Skin corrosion/irritation:

Not classified due to lack of data.

Components:

chromium (III) oxide:

Species:

Rabbit.

Method:

OECD Test Guideline 404.

Result:

No skin irritation.

GLP:

Yes

Serious eye damage/eye irritation:

Not classified due to lack of data.

Components:

chromium (III) oxide:

Species:

Rabbit.

Method:

OECD Test Guideline 405.

Result:

No eye irritation.

GLP:

Yes

Respiratory or skin sensitization:

Skin sensitisation:

Not classified due to lack of data.

Respiratory sensitisation:

Not classified due to lack of data.

Components:

chromium (III) oxide:

Test Type:

Buehler Test.

Exposure routes:

Skin contact.

Species:

Guinea pig.

Method:

OECD Test Guideline 406.

Result:

Did not cause sensitisation on laboratory animals.

GLP:

Yes

SolidFlow **PG17 Chrome Oxide Green**

Product code **SF 610-X**

Date of Revision: October 10th 2024

Revision N: 1

Country / Language: ITA / EN

Germ cell mutagenicity:	Not classified due to lack of data.
Components:	
chromium (III) oxide:	
Genotoxicity in vitro:	Test Type: Ames test Test system: Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative GLP: Yes Remarks: Test results on an analogous product
Genotoxicity in vivo:	Test Type: Micronucleus test Species: Mouse (male and female) Cell type: Bone marrow Application Route: Intraperitoneal Method: OECD Test Guideline 474 Result: negative GLP: Yes.
Carcinogenicity:	Not classified due to lack of data.
chromium (III) oxide:	
Species:	Rat, male and female.
Application Route:	Oral.
Exposure time:	2 Years.
Dose:	2000 - 10000 - 50000 parts per million.
Method:	OECD Test Guideline 451
Result:	negative.
GLP:	Yes
Remarks:	Test results on an analogous product.
Reproductive toxicity:	Not classified due to lack of data.
STOT - single exposure:	Not classified due to lack of data.
STOT - repeated exposure:	Not classified due to lack of data.
Repeated dose toxicity	
Components:	
chromium (III) oxide:	
Species:	Rat, male and female
NOAEL:	>= 50000 ppm
Application Route:	Oral
Exposure time:	2 yr
Number of exposures:	daily
Dose:	2000 - 10000 - 50000 ppm
GLP:	Yes
Remarks:	Chronic toxicity Test results on an analogous product

SolidFlow **PG17 Chrome Oxide Green**

Product code **SF 610-X**

Date of Revision: October 10th 2024

Revision N: 1

Country / Language: ITA / EN

Species:	Rat, male and female
NOAEC:	15 mg/m ³
LOAEL:	44 mg/m ³
Application Route:	inhalation (dust/mist/fume)
Exposure time:	90 d
Number of exposures:	5 days/week
Dose:	4,4 - 15 - 44 mg/m ³
Method:	OECD Test Guideline 413
Remarks:	Subchronic toxicity

Aspiration toxicity Not classified due to lack of data .

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

chromium (III) oxide:

Toxicity to fish: LC50 (Danio rerio (zebra fish)): >10.000 mg/l
Exposure time: 96 h
Test Type: static test
Analytical monitoring: Yes
Method: ISO 7346/1
GLP: Yes
Remarks: nominal concentration Fresh water

Toxicity to daphnia and other aquatic invertebrates:

EC50 (Daphnia magna (Water flea)): 14,1 mg/l
Exposure time: 48 h
Test Type: static test
Analytical monitoring: Yes
Method: OECD Test Guideline 202
Remarks: No toxicity at the limit of solubility
Fresh water
Test results on an analogous product

Toxicity to algae/aquatic plants:

ErC50 (Desmodesmus subspicatus (green algae)): > 0,849 mg/l
End point: Growth rate
Exposure time: 72 h
Analytical monitoring: Yes
Method: OECD Test Guideline 201

SolidFlow **PG17 Chrome Oxide Green**

Product code **SF 610-X**

Date of Revision: October 10th 2024

Revision N: 1

Country / Language: ITA / EN

GLP: Yes

Remarks: No toxicity at the limit of solubility

Fresh water

Test results on an analogous product

Toxicity to microorganisms:

EC50 (activated sludge): > 10.000 mg/l

Exposure time: 3 h

Analytical monitoring: No

Method: ISO 8192

GLP: Yes

Remarks: nominal concentration

Fresh water

Toxicity to fish (Chronic tox-icity):

NOEC: \geq 1.000 mg/l

Exposure time: 30 d

Species: Danio rerio (zebra fish)

Analytical monitoring: Yes

Method: OECD Test Guideline 210

GLP: Yes

Remarks: nominal concentration

Fresh water

Test results on an analogous product

Toxicity to daphnia and other aquatic invertebrates (Chron-ic toxicity):

NOEC: \geq 0,02 mg/l

Exposure time: 21 d

Species: Daphnia magna (Water flea)

Analytical monitoring: Yes

Method: OECD Test Guideline 211

GLP: Yes

Remarks: nominal concentration

No toxicity at the limit of solubility

Fresh water

Test results on an analogous product

12.2 Persistence and degradability

Components:

chromium (III) oxide:

Biodegradability:

Remarks: The methods for determining biodegradability are not applicable to inorganic substances.

12.3 Bioaccumulative potential

Components:

chromium (III) oxide:

Partition coefficient: n-octanol/water:

Remarks: Not applicable.

SolidFlow **PG17 Chrome Oxide Green**

Product code **SF 610-X**

Date of Revision: October 10th 2024

Revision N: 1

Country / Language: ITA / EN

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

Product:

Assessment:

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine Disrupting Properties

Product:

Assessment:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological information:

Ecotoxicological data are not available.
No known significant effects or critical hazards.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product:

The generation of waste should be avoided or minimised wherever possible. Where possible recycling is preferred to disposal or incineration. Product residues and uncleaned empty containers should be packaged, sealed, labelled, and disposed of or recycled according to relevant national and local regulations. When uncleaned empty containers are passed on, the recipient must be warned of any possible hazard that may be caused by residues. Wastedisposal should be in accordance with existing federal state, provincial and or local environmental controls. Do not contaminate ponds, waterways or ditches with chemical or used container. The product should not be allowed to enter drains, water courses or the soil.

Contaminated packaging:

Empty remaining contents.
Dispose of as unused product.
Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14: Transport information

14.1 UN number or ID number

ADN:

Not regulated as a dangerous good.

ADR:

Not regulated as a dangerous good.

RID:

Not regulated as a dangerous good.

SolidFlow **PG17 Chrome Oxide Green**

Product code **SF 610-X**

Date of Revision: October 10th 2024

Revision N:1

Country / Language: ITA / EN

IMDG: Not regulated as a dangerous good.

IATA: Not regulated as a dangerous good.

14.2 UN proper shipping name

ADN: Not regulated as a dangerous good.

ADR: Not regulated as a dangerous good.

RID: Not regulated as a dangerous good.

IMDG: Not regulated as a dangerous good.

IATA: Not regulated as a dangerous good.

14.3 Transport hazard class(es)

ADN: Not regulated as a dangerous good.

ADR: Not regulated as a dangerous good.

RID: Not regulated as a dangerous good.

IMDG: Not regulated as a dangerous good.

IATA: Not regulated as a dangerous good.

14.4 Packing group

ADN: Not regulated as a dangerous good.

ADR: Not regulated as a dangerous good.

RID: Not regulated as a dangerous good.

IMDG: Not regulated as a dangerous good.

IATA (Cargo): Not regulated as a dangerous good.

IATA (Passenger): Not regulated as a dangerous good.

14.5 Environmental hazards

Not regulated as a dangerous good.

14.6 Special precautions for user

Hazard and Handling Notes: Not dangerous cargo.

Keep dry.

Keep separated from foodstuffs.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

Conditions of restriction for the following entries should be considered:

Number on list 75

Do not use for tattooing purposes.

Chromium (VI) compounds (Number on list 72, 47, 28)

arsenic (Number on list 75, 72, 19)

lead massive: [particle diameter \geq 1 mm] (Number on list 75, 72, 63, 30)

International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors:

Not applicable

SolidFlow **PG17 Chrome Oxide Green**

Product code **SF 610-X**

Date of Revision: October 10th 2024

Revision N: 1

Country / Language: ITA / EN

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59):

This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer:

Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast):

Not applicable.

Council Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors:

Neither banned nor restricted

Council Regulation (EC) No 273/2004 on drug precursors:

Not applicable

Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals:

Not applicable

REACH - List of substances subject to authorisation (Annex XIV):

Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Not applicable

Water hazard class (Germany):

nwg not water endangering

Code Number: 806

Remarks: Classification according to AwSV, Annex 1 (4)

Classification according to AwSV, Annex 1 (4)

Other regulations:

Take note of Law on the protection of mothers at work, in education and in studies (Maternity Protection Act - MuSchG).

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance.

SolidFlow **PG17 Chrome Oxide Green**

Product code **SF 610-X**

Date of Revision: October 10th 2024

Revision N: 1

Country / Language: ITA / EN

SECTION 16: Other information

Issued by:	Responsible for Health, Safety, and Environment
Date:	October 10 th , 2024
Revision:	1

More information:

This safety data sheet is drawn up in compliance with in force the regulations in classification and labeling matter on the revision date indicated in the header. The information provided on this SAFETY DATA SHEET corresponds to the state of our knowledge and knowledge our experience of the product, and it is not exhaustive.

It applies to the product as is, compliant with specifications. In case of combinations or mixtures, make sure that no new danger can arise. In no case does it exempt the user of the product from complying with all legislative provisions, administrative and regulatory issues relating to the product, hygiene and safety at work.