



according to Regulation (EC) No. 1907/2006

SolidFlow PY83 Diarylide Yellow HR - Product code SF 151-X

Date of Revision: October 10th 2024 Revision N:1 Country / Language: ITA / EN

SECTION 1: Identification of the substance/mixture and of the company/undertaking

.1. Product identifier

Trade name: PY-83 preparation

Product code: SF 151-X **CAS number:** 5567-15-7

INDEX number: CI Pigment Yellow 83

EEC (EINECS) number: 226-939-8

Structural Formula: 2,2'-[(3,3'-dichloro[1,1'-biphenyl]-4,4'-diyl)bis(azo)]bis[N-(4-chloro-2,5-

dimethoxyphenyl)-3-oxobutyramide].

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture: Synthetic pigment mixed with anionic and non-ionic surfactants.

1.3. Details of the supplier of the safety data sheet

Company: SIOF S.p.A.

Via Garibaldi 62

15068 - Pozzolo Formigaro (AL) Italy

Tel: +39 0143417781 VAT nr.: IT 0016470069

Production sites: 1) Pozzolo Formigaro (AL) - Via Garibaldi 62

2) Verona - Via Pisano 53/A

Email address of the competent person:

siof@siof.it

1.4. Emergency telephone number

Emergency telephone number: +39 0143417781

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008):

Not a hazardous substance or mixture.

2.2. Label elements

Labelling (REGULATION (EC) No 1272/2008):

Non hazardous substance/mixture

Danger Pictograms: Not applicable

Warnings: No warning instructions

Danger Indication: Not classified: there are no significant effects noted.

2.3. Other hazards

The substance does not meet the criteria for PBT or vPvB in accordance with

Annex XIII of the Regulation (EC) No. 1907/2006.

The substance does not have endocrine disrupting properties.

according to Regulation (EC) No. 1907/2006





SolidFlow PY83 Diarylide Yellow HR Product code SF 151-X

Date of Revision: October 10th 2024 Revision N:1 Country/Language: ITA/EN

SECTION 3: Composition/information on ingredients

Substances

Components:

Remarks: No hazardous ingredients.

Components:

Name: Diarylide Yellow HR

EEC(EINECS) number: 226-939-8 **CAS** number: 5567-15-7

Other components:

Name: Anionic and non-ionic additives.

SECTION 4: First aid measures

Description of first aid measures

No effects are expected that would require the implementation of special first aid measures. The following information is a practical guide to correct behavior in the event of contact with a chemical product, even if not dangerous.

In case of doubt or in the presence of symptoms, contact a doctor and show him this document. In the event of more serious symptoms, call 118 to obtain

immediate medical assistance.

Protection of rescuers

It is good practice for the rescuer who provides assistance to a person who has been exposed to a chemical substance or mixture to wear personal protective equipment. The nature of such protection depends on the dangerousness of the substance or mixture, the method of exposure and the extent of contamination. In the absence of other more specific indications, it is recommended to use disposable gloves in the event of possible contact with biological fluids. For the type of PPE suitable for the characteristics of the substance or mixture, refer to section 8.

Most important symptoms and effects, both acute and delayed

No information available.

Indication of any immediate medical attention and special treatment needed 4.3

In case of symptoms, whether acute or delayed, seek medical advice.

Means to be available at the workplace for specific and immediate treatment

Running water for skin and eye washing.

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media: carbon dioxide (CO2), powder, foam, hazy water.

Unsuitable extinguishing media: Strong water jet.

5.2 Special hazards arising from the substance or mixture

Specific hazards: In case of fire, avoid breathing combustion products. The product is

combustible and, when the dust is dispersed in the air in sufficient concentrations and in the presence of an ignition source, it can form explosive

according to Regulation (EC) No. 1907/2006





SolidFlow PY83 Diarylide Yellow HR Product code SF 151-X

		mixtures with air. The fire can develop or be further fed by the solid, possibly leaked from the container, when it reaches high temperatures or by contact with ignition sources.
5.3	Advice for firefighters	
	Firefighting instructions:	Cool containers with water jets to prevent product decomposition and the development of substances potentially hazardous to health. Always wear complete fire protection equipment. Collect extinguishing water that must not be discharged into drains. Dispose of contaminated fire extinguishing water and fire residue according to current regulations.
	Protection during firefighting:	Normal firefighting clothing, such as open-circuit compressed air breathing apparatus (EN 137), flame-retardant overalls (EN469), flame-retardant gloves (EN 659) and firefighter's boots (HO A29 or A30).
SEC	TION 6: Accidental release measures	
6.1	Personal precautions, protective equip	ment and emergency procedures
	6.1.1. For non-emergency personnel	In case of vapors or dust dispersed in the air, use respiratory protection. These indications are valid both for workers and for emergency interventions.
6.2	Environmental precautions	indications are valid both for workers and for emergency litter ventions.
0.2	Environmental precautions	Do not allow to enter into surface water or drains. Notify authorities if product enters sewers or public waters.
6.3	Methods and material for containment	
0.5	rections and material for contaminent	Dam with earth or inert material. Collect most of the material and eliminate the residue with water jets. Disposal of contaminated material must be carried out in accordance with the provisions of point 13.
6.4	Reference to other sections	Concerning personal protective equipment to use, see section 8. Disposal: see section 13.
SEC	TION 7: Handling and storage	
7.1	Precautions for safe handling	
		Handle the product after consulting all other sections of this information sheet. Avoid dispersion of the product in the environment. Do not eat, drink or smoke during use.
7.2	Conditions for safe storage, including	any incompatibilities
		Store only in the original container. Store containers away from any incompatible materials, see section 10.
7.3	Specific end use(s)	No data.

according to Regulation (EC) No. 1907/2006





SolidFlow PY83 Diarylide Yellow HR Product code SF 151-X

Date of Revision: October 10th 2024 Revision N:1 Country/Language: ITA/EN

SECTION 8: Exposure controls/personal protection

Control parameters

It is recommended to consider in the risk assessment process the occupational exposure limit values provided by ACGIH for dusts not otherwise classified (PNOC respirable fraction: 3 mg/m³; PNOC inhalable fraction: 10 mg/m³). If these limits are exceeded, it is recommended to use a type P filter whose class (1, 2 or 3) must be chosen based on the outcome of the risk assessment. The values indicated above do not constitute a TLV, but guide values, to be used for particles that do not have their own TLV, that are insoluble or poorly soluble in water and that have low toxicity.

Exposure controls

Observe the usual safety measures when handling chemicals.

Hand protection: Not needed. Eye protection: Not needed. **Body protection:** Not needed.

Respiratory protection: We recommend using a type P filtering face mask, the class (1, 2 or 3) and actual

need of which must be defined based on the outcome of the risk assessment

(ref. standard EN 149).

Emissions from production processes, including those from ventilation **Environmental precautions:**

equipment, should be monitored to comply with environmental protection

legislation

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Granules **Appearance: Physical state:** Solid Colour: Yellow

Odour: Characteristic

Solubility: Insoluble in water. It disperses.

Density: 1,5 kg/l (pigment) $0.8 - 1.2 \, kg/l$ **Bulk density: Decomposition temperature:** 300 °C (pigment) Flammability: Not applicable **Autoignition temperature:** 220 °C (pigment)

Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable under normal conditions. Reference to other sections: 10.4 & 10.5.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

according to Regulation (EC) No. 1907/2006





SolidFlow PY83 Diarylide Yellow HR Product code SF 151-X

Date of Revision: October 10th 2024 Revision N:1 Country/Language: ITA/EN

D	1	
Dust is potentiall	/ explosive wher	n mixed with air
Dast is potential	, capiosite inici	TITIONE G TITCH GIT.

10.4 Conditions to avoid	
	Avoid the accumulation of dust in the environment.
10.5 Incompatible materials	
	No data available.
10.6 Hazardous decomposition products	s
	Pigment Yellow 83 is a diarylide pigment. These pigments degrade wher
	exposed to temperatures above 200°C and release of 3,3'-dichlorobenzidine

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Metabolism, kinetics, mechanism of action and other information:

No data available

may occur.

Information on likely routes of exposure:

No data available

Immediate and delayed effects and chronic effects from short and long-term exposure:

No data available

Interactive effects: No data available

Acute toxicity: 2,2'-[(3,3'-dichloro[1,1'-biphenyl]-4,4'-diyl)bis(azo)]bis[N-(4-chloro-2,5-

dimethoxyphenyl)-3-oxobutyramide]

LD50 Oral: > 3000 mg/kg rat LD50 Oral: > 15000 mg/kg rat LC50 (Inhalation mists/dusts): > 4250 mg/m3/4h rat

Skin corrosion/irritation: Does not meet the classification criteria for this hazard class. Serious eye damage/eye irritation: Does not meet the classification criteria for this hazard class. Respiratory or skin sensitization: Does not meet the classification criteria for this hazard class. Does not meet the classification criteria for this hazard class. Germ cell mutagenicity: Does not meet the classification criteria for this hazard class. Carcinogenicity: Reproductive toxicity: Does not meet the classification criteria for this hazard class. STOT-single exposure: Does not meet the classification criteria for this hazard class. Does not meet the classification criteria for this hazard class. **STOT-repeated exposure: Aspiration hazard:** Does not meet the classification criteria for this hazard class.

11.2 Information on other dangers

Based on available data, the substance is not listed in the main European lists of potential or suspected endocrine disruptors with effects on human health under evaluation.

SECTION 12: Ecological information

Use according to good working practices, avoiding dispersal of the product into the environment. Notify the competent authorities if the product has reached water courses or if it has contaminated the soil or vegetation.

according to Regulation (EC) No. 1907/2006





SolidFlow PY83 Diarylide Yellow HR Product code SF 151-X

Date of Revision: October 10th 2024 Revision N:1 Country/Language: ITA/EN

12.1	Toxicity	
	•	2,2'-[(3,3'-dichloro[1,1'-biphenyl]-4,4'-diyl)bis(azo)]bis[N-(4-chloro-2,5-
		dimethoxyphenyl)-3-oxobutyramide]
		LC50 - Fish > 100 mg/l/96h Danio rerio
		EC50 - Crustacea > 396 mg/l/48h Daphnia magna
		EC50 - Algae / Aquatic Plants > 100 mg/l/72h Desmodesmus subspicatus
12.2	Persistence and degradability	
		No available information.
12.3	Bioaccumulative potential	
		No available information.
12.4	Mobility in soil	
		No available information.
12.5	Results of PBT and vPvB assessment	
		The substance has no persistence, bioaccumulation and toxicity (PBT)
		properties and is not very persistent and very bioaccumulative (vPvB).
12.6	Endocrine Disrupting Properties	
		Based on available data, the substance is not listed in the main European lists
		of potential or suspected endocrine disruptors with environmental effects
		under evaluation.
12.7	Other adverse effects	
		No available information.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product residues as is are to be considered non-hazardous special waste.

Disposal must be entrusted to a company authorized to manage waste, in compliance with national and possibly local regulations.

For solid residues, consider the possibility of disposal in an authorized landfill.

CONTAMINATED PACKAGING

Contaminated packaging must be sent for recovery or disposal in compliance with national regulations on waste management.

SECTION 14: Transport information				
In accordance with ADR / RID / IMDG / IATA / AND				
14.1	UN number			
		Not applicable.		
14.2	UN proper shipping name			
		Not applicable.		
14.3	Transport hazard class(es)			
		Not applicable.		

according to Regulation (EC) No. 1907/2006





SolidFlow PY83 Diarylide Yellow HR Product code SF 151-X

Date of Revision: October 10th 2024

Revision N:1

Country/Language: ITA/EN

Not applicable
Not applicable.
Not applicable.
Not applicable.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations:

No REACH Annex XVII restrictions

SECTION 16: Other information	
Issued by:	Responsible for Health, Safety, and Environment
Date:	October 10 th , 2024
Revision:	1

More information:

This safety data sheet is drawn up in compliance with in force the regulations in classification and labeling matter on the revision date indicated in the header. The information provided on this SAFETY DATA SHEET corresponds to the state of our knowledge and knowledge our experience of the product, and it is not exhaustive.

It applies to the product as is, compliant with specifications. In case of combinations or mixtures, make sure that no new danger can arise. In no case does it exempt the user of the product from complying with all legislative provisions, administrative and regulatory issues relating to the product, hygiene and safety at work.